

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/29/2009  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>052860</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>06/01/2009</b>
--	---	--	---

NAME OF PROVIDER OR SUPPLIER  <b>FMC DIALYSIS SERVICES CHANNEL ISLANDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>2679 B SAVIERS ROAD</b> <b>OXNARD, CA 93033</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

V 000	<p><b>INITIAL COMMENTS</b></p> <p>Surveyor: 22383 The following reflects the findings of the California Department of Public Health during the investigation of complaint/self-reported event.</p> <p>Complaint #: CA00187651</p> <p>Regarding: Infection Control</p> <p>The investigation was limited to the specific complaint/self-reported event investigated and does not represent the findings of a full inspection of the facility.</p> <p>Representing the Department of Public Health: Jackie Gallen, HFEN, and Cheryl Lilley, HFEN.</p> <p>No deficiencies identified from this investigation.</p>	V 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.